


KN Aluminium

Nit kullrig

DIN 660/DIN 124, SMS 1440/39, Aluminium

Rivet round head aluminium



d ¹	1	1,5	2	2,5	3	4	5	6	8	10
d ²	1,8	2,6	3,5	4,4	5,2	7	8,8	10,5	14	16
k	0,6	1	1,2	1,5	1,8	2,4	3	3,6	4,8	6,5

LÄNGD

CA. PRIS KRONOR PER 100 ST

PGR 57060

15.09

2	(4:20)	(4:20)								
3	(4:20)	(4:20)	21:—	77:—						
4	38:—	(4:20)	22:—	29:—	33:—					
5	(4:55)	(4:55)	77:—	78:—	80:—					
6	(4:90)	(4:90)	24:—	30:—	36:—	52:—				
7	(5:25)	(5:25)	(5:25)	(5:60)	(6:30)					
8	(5:60)	(5:60)	30:—	36:—	38:—	58:—	82:—			
9	(5:95)	(5:90)	(5:95)	(6:30)	(7:—)					
10	(6:30)	(6:30)	79:—	43:—	43:—	61:—	87:—	343:—		
12			82:—	85:—	51:—	72:—	94:—	143:—	775:—	
14			(7:—)	(8:05)	57:—	79:—	109:—	(37:45)		
16			90:—	103:—	54:—	74:—	108:—	152:—	800:—	
18				130:—	135:—	228:—	328:—	465:—	888:—	
20				130:—	62:—	84:—	125:—	178:—	938:—	1450:—
22					(16:10)	(21:35)	(30:10)	(48:65)	(102:55)	
24					183:—	300:—	142:—	206:—	1088:—	
25										1650:—
26					183:—	300:—	142:—	206:—	1088:—	
28						(25:55)	(35:70)	(57:40)	(120:05)	
30					218:—	358:—	174:—	248:—	1225:—	1875:—
32						(28:70)	(39:20)	(63:70)	(132:30)	
34						415:—	560:—	788:—	1375:—	
35					263:—				1375:—	
36						415:—	560:—	788:—	1375:—	
38										
40					300:—	463:—	625:—	314:—	1525:—	
43										
45						525:—	713:—	975:—	1675:—	
50						590:—	775:—	383:—	1825:—	
55							863:—	1163:—	2000:—	
60							938:—	1238:—	2175:—	
65							(113:05)	(178:15)	(252:—)	
70							(128:80)	(203:—)	(280:—)	
75							(147:70)	(299:95)	(311:15)	

Art. nr 660 A _ _ 1 _ _ 2 _ _ _

sid#




FN Aluminium

Nit försänkt

DIN 661, SMS 1441, Aluminium

Rivet flat head aluminium



d ¹	1	1,4	1,5	2	2,5	3	4	5	6	8	10
d ²	1,8	2,5	2,6	3,5	4,4	5,2	7	8,8	10,5	14	20
k~	0,5	0,7	1,0	1,0	1,2	1,4	2,0	2,5	3,0	4,0	5,0

LÄNGD CA. PRIS KRONOR PER 100 ST PGR 57060 15.09

2	(4:20)										
3	(4:20)		(4:20)	(4:20)							
4	(4:20)	38:—	(4:20)	77:—	(4:55)	(5:25)					
5	(4:55)		(4:55)	77:—	78:—	(5:60)					
6	(4:90)	40:—	(4:90)	78:—	78:—	82:—	124:—				
7	(5:25)		(5:25)	(5:25)	(5:60)	(6:30)					
8	(5:60)		(5:60)	79:—	79:—	85:—	130:—	213:—			
9	(5:95)		(5:90)	(5:95)	(6:30)	(7:—)					
10	(6:30)		(6:30)	79:—	80:—	92:—	148:—	220:—	343:—		
12				82:—	85:—	99:—	168:—	245:—	365:—	775:—	
14				(7:—)	(8:05)	(9:45)	(16:45)	(22:40)	(37:45)		
16				90:—	103:—	117:—	198:—	280:—	408:—	800:—	
18					130:—	135:—	228:—	328:—	465:—	888:—	
20					130:—	150:—	243:—	353:—	495:—	938:—	1450:—
22						(16:10)	(21:35)	(30:10)	(48:65)	(102:55)	
24						183:—	300:—	420:—	595:—	1088:—	
26						183:—	300:—	420:—	595:—	1088:—	
28							(25:55)	(35:70)	(57:40)	(120:05)	
30						218:—	358:—	478:—	675:—	1225:—	
32							(28:70)	(39:20)	(63:70)	(132:30)	
34							415:—	560:—	788:—	1375:—	
35						263:—					
36							415:—	560:—	788:—	1375:—	
40						300:—	463:—	625:—	863:—	1525:—	
45							525:—	713:—	975:—	1675:—	
50							590:—	775:—	1063:—	1825:—	
55								863:—	1163:—	2000:—	
60								938:—	1238:—	2175:—	
65								(113:05)	(178:15)	(252:—)	
70								(128:80)	(203:—)	(280:—)	
75								(147:70)	(229:95)	(311:15)	


Art. nr _661 A_ _1_ _2_ _

BN Aluminium

Blecknit

SMS 1442, Aluminium

Rivet oval head aluminium




d ¹	2	2,5	3	3,5	4	4,5	5	6	7	8
d ²	4	5	6	7	8	9	10	12	14	16
k~	1	1,2	1,5	1,8	2,1	2,3	2,5	3	3,5	4

LÄNGD CA. PRIS KRONOR PER 100 ST PGR 57060 15.09

4	17:—									
5		17:—								
6	19:—		18:—							
7		19:—								
8			21:—	29:—						
9					42:—					
10				32:—	42:—	47:—				
12					46:—		55:—			
14						56:—		113:—		
16							65:—			
18									201:—	
20								137:—		290:—
26									257:—	
30										381:—

Art. nr 1442 A _ _ 2 _ _ 4 _ _ _



SFN Aluminium

Nit med stort sänkhuvud

SMS 1443, Aluminium

Rivet with big flat head aluminium

d ¹	3	4	5	6
d ²	8	10	13	15
k~	1,2	1,4	1,9	2,1

LÄNGD CA. PRIS KRONOR PER 100 ST PGR 57060 15.09

6	28:—				
8	31:—		48:—		
10	34:—		53:—	72:—	
12	37:—		58:—	80:—	161:—
14	40:—		63:—	88:—	178:—
16	44:—		69:—	96:—	194:—
18			72:—	103:—	210:—
20			79:—	112:—	226:—
22			90:—	120:—	242:—
26			100:—	136:—	275:—
30			.	152:—	306:—
32				160:—	323:—
36				176:—	354:—
40					387:—
45					427:—

Art. nr 1443 A _ _ 3 _ _ 6 _ _ _